Kim Timber

Subject: UTV Achiever RT-04 All Season Tracked Carrier Info

Importance: High

Subject: UTV International Achiever RT-04 All Season Low Ground Pressure Tracked Carrier Info



The Achiever RT-04 max fording depth is 36". A 1 Man Open Cab is standard, 2 Man & 4 Man Open or Closed Cabs are available. 29" All Season High Profile Rubber Tracks are standard and give a ground pressure of 1.45 PSI unloaded and 2.62 PSI loaded. 28" D-Dent tracks are available. 33" High Profile Rubber Tracks give a ground pressure of 1.27 PSI unloaded and 2.30 PSI loaded. A Full Rear Deck option is also available. Also available are Rear Low Flow Hydraulics or Rear High Flow Hydraulics giving 45 GPM at 2,700 PSI while the vehicle is stationary. Available Payload is 8,000 lbs. Oil Bath Road Wheel Hubs are available as are optional Ice Claws for the tracks.

UTV has switched to Tier 4 engines as per EPA mandate and DEF tanks are installed. The Tier 4 Achiever RT-04 features a 134 HP Deutz AG electronic engine which combined with the completed unit weight of approximately 11,000 lbs gives a greater power to weight ratio than any other 4 ton payload tracked carrier. The difference when climbing hills in your area will be noticeable.

The **standard** RT-04 U equipped with block heater and glow plugs will start at up to -4°F / -20°C. Addition of either a 120v oil tank heater or a programmable 12v engine coolant heater if no external power is available for the block heater will provide for engine start up to -13°F / -25°C. Adding synthetic engine & ISO 22 hydraulic oil & a winter bridge & engine cover will provide for engine start up to -22°F / -30°C. An extreme cold package for engine start & operations up to -40°F / -40°C is available as well.

All UTV supplied items are guaranteed for one full year except for consumables such as filters, etc. 75% of the components in a UTV vehicle are acquired by UTV in the USA. The Engine is guaranteed by Deutz AG for one full year from the date that you take possession of the vehicle, a second year or 2,000 hours on all engine components and a **third year or 3,000 hours** on main engine components: Crankcase, Crankshaft, Camshaft, Connecting Rods and Cylinder Head Casing

Click Here for the YouTube Channel or click on the small photos below for some video. I can send a USB key if you prefer.

If you have any questions please let us know.

UTV International http://www.utvint.com Phone: (514)345-0990 For more information, please call or e-mail





Click Here for the YouTube Channel or click on the photos below for some video. I can send a USB key if you prefer. Please let me know.



Achiever RT-04 Field Trial



Unloading & Loading





29" Rubber Tracks in Snow





Loading a Bare Carrier



Achiever RT 04 in a Wetland














Hiab Crane Equipped





300 Gallon Spray Tank with Hose Reels - Customer Equipped







Lime Spreader / Hydro Seeder

UTV International http://www.utvint.com

Phone: (514)345-0990 Fax: (514)345-0956 For more information, please call or e-mail 1-800-985-8665 sales@utvint.com